

الجدول الأول (المواد المخدرة)

| No. | Narcotic drugs | Description/Chemical name |
|-----|--|--|
| 1 | Acetorphine | 3-O-acetyl/tetrahydro-7 α -(1-hydroxy-1-methylbutyl)-6,14-endo-ethenooripavine |
| 2 | Acetyl-alpha-methylfentanyl | N-[1-(α -methylphenethyl)-4-piperidyl]acetanilide |
| 3 | Acetylmethadol | 3-acetoxy-6-dimethylamino-4,4-diphenylheptane |
| 4 | Alfentanil | N-[1-[2-(4-ethyl-4,5-dihydro-5-oxo-1H-tetrazol-1-yl)ethyl]-4-(methoxymethyl)-4-piperidiny]-N-phenylpropanamide |
| 5 | Allylprodine | 3-allyl-1-methyl-4-phenyl-4-propionoxypiperidine |
| 6 | Alphacetylmethadol | α -3-acetoxy-6-dimethylamino-4,4-diphenylheptane |
| 7 | Alphameprodine | α -3-ethyl-1-methyl-4-phenyl-4-propionoxypiperidine |
| 8 | Alphamethadol | α -6-dimethylamino-4,4-diphenyl-3-heptanol |
| 9 | Alpha-methylfentanyl | N-[1-(α -methylphenethyl)-4-piperidyl]propionanilide |
| 10 | Alpha-methylthiofentanyl | N-[1-[1-methyl-2-(2-thienyl)ethyl]-4-piperidyl]propionanilide |
| 11 | Alphaprodine | α -1,3-dimethyl-4-phenyl-4-propionoxypiperidine |
| 12 | Anileridine | 1-p-aminophenethyl-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 13 | Benzethidine | 1-(2-benzoyloxyethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 14 | Benzylmorphine | 3-benzylmorphine |
| 15 | Betacetylmethadol | β -3-acetoxy-6-dimethylamino-4,4-diphenylheptane |
| 16 | Beta-hydroxyfentanyl | N-[1-(β -hydroxyphenethyl)-4-piperidyl]propionanilide |
| 17 | Beta-hydroxy-3-methylfentanyl | N-[1-(β -hydroxyphenethyl)-3-methyl-4-piperidyl]propionanilide |
| 18 | Betameprodine | β -3-ethyl-1-methyl-4-phenyl-4-propionoxypiperidine |
| 19 | Betamethadol | β -6-dimethylamino-4,4-diphenyl-3-heptanol |
| 20 | Betaprodine | β -1,3-dimethyl-4-phenyl-4-propionoxypiperidine |
| 21 | Beztramide | 1-(3-cyano-3,3-diphenylpropyl)-4-(2-oxo-3-propionyl-1-benzimidazolyl)piperidine |
| 22 | Cannabis and cannabis resin and extracts and tinctures of cannabis | Indian hemp and resin of Indian hemp |

23-9-2013

الجدول الأول (المواد المخدرة)

| No. | Narcotic drugs | Description/Chemical name |
|-----|----------------------------|---|
| 23 | Clonitazene | 2-(<i>p</i> -chlorobenzyl)-1-diethylaminoethyl-5-nitrobenzimidazole |
| 24 | Coca leaf* | |
| 25 | Cocaine | methyl ester of benzoylcegonine* |
| 26 | Codoxime | dihydrocodeinone-6-carboxymethyl oxime |
| 27 | Concentrate of poppy straw | the material arising when poppy straw has entered into a process for the concentration of its alkaloids when such material is made available in trade |
| 28 | Desomorphine | Dihydrodeoxymorphine |
| 29 | Dextromoramide | (+)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidiny)butyl]morpholine |
| 30 | Diampromide | N-[2-(methylphenethylamino)propyl]propionanilide |
| 31 | Diethylthiambutene | 3-diethylamino-1,1-di(2'-thienyl)-1-butene |
| 32 | Difenoxin | 1-(3-cyano-3,3-diphenylpropyl)-4-phenylisonipecotic acid |
| 33 | Dihydroetorphine | 7,8-dihydro-7 α -[1-(<i>R</i>)-hydroxy-1-methylbutyl]-6,14-endo - ethanotetrahydrooripavine |
| 34 | Dihydromorphine | |
| 35 | Dimenoxadol | 2-dimethylaminoethyl-1-ethoxy-1,1-diphenylacetate |
| 36 | Dimepseptanol | 6-dimethylamino-4,4-diphenyl-3-heptanol |
| 37 | Dimethylthiambutene | 3-dimethylamino-1,1-di(2'-thienyl)-1-butene |
| 38 | Dioxaphetyl butyrate | ethyl-4-morpholino-2,2-diphenylbutyrate |
| 39 | Diphenoxylate | 1-(3-cyano-3,3-diphenylpropyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 40 | Dipipanone | 4,4-diphenyl-6-piperidine-3-heptanone |
| 41 | Drotebanol | 3,4-dimethoxy-17-methylmorphinan-6 β ,14-diol |
| 42 | Ecgonine | its esters and derivatives which are convertible to ecgonine and cocaine |
| 43 | Ethylmethylthiambutene | 3-ethylmethylamino-1,1-di(2'-thienyl)-1-butene |
| 44 | Etonitazene | 1-diethylaminoethyl-2- <i>p</i> -ethoxybenzyl-5-nitrobenzimidazole |

23.9.2013

الجدول الأول (المواد المخدرة)

| No. | Narcotic drugs | Description/Chemical name |
|-----|-------------------------------|---|
| 45 | Etorphine | tetrahydro-7 α -(1-hydroxy-1-methylbutyl)-6,14-endo- ethenooripavine |
| 46 | Etoxeridine | 1-[2-(2-hydroxyethoxy)ethyl]-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 47 | Fentanyl | 1-phenethyl-4- <i>N</i> -propionylanilino-piperidine |
| 48 | Furethidine | 1-(2-tetrahydrofurfuryloxyethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 49 | Heroin | Diacetylmorphine |
| 50 | Hydrocodone | Dihydrocodeinone |
| 51 | Hydromorphanol | 14-hydroxydihydromorphine |
| 52 | Hydromorphone | Dihydromorphinone |
| 53 | Hydroxypethidine | 4- <i>m</i> -hydroxyphenyl-1-methylpiperidine-4-carboxylic acid ethyl ester |
| 54 | Isomethadone | 6-dimethylamino-5-methyl-4,4-diphenyl-3-hexanone |
| 55 | Ketobemidone | 4- <i>m</i> -hydroxyphenyl-1-methyl-4-propionylpiperidine |
| 56 | Levomethorphan* | (-)-3-methoxy- <i>N</i> -methylmorphinan |
| 57 | Levomoramide | (-)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)butyl]morpholine |
| 58 | Levophenacymorphan | (-)-3-hydroxy- <i>N</i> -phenacylmorphinan |
| 59 | Levorphanol* | (-)-3-hydroxy- <i>N</i> -methylmorphinan |
| 60 | Metazocine | 2-hydroxy-2,5,9-trimethyl-6,7-benzomorphan |
| 61 | Methadone | 6-dimethylamino-4,4-diphenyl-3-heptanone |
| 62 | Methadone intermediate | 4-cyano-2-dimethylamino-4,4-diphenylbutane |
| 63 | Methyldesorphine | 6-methyl- Δ 6-deoxymorphine |
| 64 | Methyldihydromorphine | 6-methyldihydromorphine |
| 65 | 3-methylfentanyl | N-(3-methyl-1-piperidyl-4-piperidyl)propionanilide |
| 66 | 3-methylthiofentanyl | N-[3-methyl-1-[2-(2-thienyl)ethyl]-4-piperidyl]propionanilide |
| 67 | Metopon | 5-methyldihydromorphinone |

23.9.2013

الجدول الأول (المواد المخدرة)

| No. | Narcotic drugs | Description/Chemical name |
|-----|---------------------------|---|
| 68 | Moramide intermediate | 2-methyl-3-morpholino-1,1-diphenylpropane carboxylic acid |
| 69 | Morpheridine | 1-(2-morpholinoethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 70 | Morphine | |
| 71 | Morphine methobromide | other pentavalent nitrogen morphine derivatives including in particular the morphine- <i>N</i> -oxide derivatives, one of which is codeine- <i>N</i> -oxide |
| 72 | Morphine- <i>N</i> -oxide | |
| 73 | MPPP | 1-methyl-4-phenyl-4-piperidinol propionate (ester) |
| 74 | Myrophine | Myristylbenzylmorphine |
| 75 | Nicomorphine | 3,6-dinicotinylmorphine |
| 76 | Noracymethadol | (±)- α -3-acetoxy-6-methylamino-4,4-diphenylheptane |
| 77 | Norlevorphanol | (-)-3-hydroxymorphinan |
| 78 | Normethadone | 6-dimethylamino-4,4-diphenyl-3-hexanone |
| 79 | Normorphine | Demethylmorphine |
| 80 | Norpipanone | 4,4-diphenyl-6-piperidino-3-hexanone |
| 81 | Opium* | |
| 82 | Oripavine | 3-O-demethylthebaine, or 6,7,8,14-tetrahydro-4,5-alpha-epoxy-6-methoxy-17-methylmorphinan-3-ol |
| 83 | Oxycodone | 14-hydroxydihydrocodeinone |
| 84 | Oxymorphone | 14-hydroxydihydromorphinone |
| 85 | Para-fluorofentanyl | 4'-fluoro- <i>N</i> -(1-phenethyl-4-piperidyl)propionanilide |
| 86 | PEPAP | 1-phenethyl-4-phenyl-4-piperidinol acetate (ester) |
| 87 | Pethidine | 1-methyl-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 88 | Pethidine intermediate A | 4-cyano-1-methyl-4-phenylpiperidine |
| 89 | Pethidine intermediate B | 4-phenylpiperidine-4-carboxylic acid ethyl ester |

29.9.2013

الجدول الأول (المواد المخدرة)

| No. | Narcotic drugs | Description/Chemical name |
|-----|---------------------------------|--|
| 90 | Pethidine intermediate C | 1-methyl-4-phenylpiperidine-4-carboxylic acid |
| 91 | Phenadoxone | 6-morpholino-4,4-diphenyl-3-heptanone |
| 92 | Phenampromide | N-(1-methyl-2-piperidinoethyl)propionanilide |
| 93 | Phenazocine | 2-hydroxy-5,9-dimethyl-2-phenethyl-6,7-benzomorphan |
| 94 | Phenomorphan | 3-hydroxy-N-phenethylmorphinan |
| 95 | Phenoperidine | 1-(3-hydroxy-3-phenylpropyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 96 | Piminodine | 4-phenyl-1-(3-phenylaminopropyl)piperidine-4-carboxylic acid ethyl ester |
| 97 | Piritramide | 1-(3-cyano-3,3-diphenylpropyl)-4-(1-piperidino)piperidine-4-carboxylic acid amide |
| 98 | Proheptazine | 1,3-dimethyl-4-phenyl-4-propionoxyazacycloheptane |
| 99 | Properidine | 1-methyl-4-phenylpiperidine-4-carboxylic acid isopropyl ester |
| 100 | Racemethorphan | (±)-3-methoxy-N-methylmorphinan |
| 101 | Racemoramide | (±)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)butyl]morpholine |
| 102 | Racemorphan | (±)-3-hydroxy-N-methylmorphinan |
| 103 | Remifentanil | 1-(2-methoxy carbonyl ethyl)-4-(phenylpropionylamino)piperidine-4-carboxylic acid methyl ester |
| 104 | Sufentanil | N-[4-(methoxymethyl)-1-[2-(2-thienyl)ethyl]-4-piperidyl]propionanilide |
| 105 | Thebacon | Acetyl dihydrocodeinone |
| 106 | Thebaine | |
| 107 | Thiofentanyl | N-[1-[2-(2-thienyl)ethyl]-4-piperidyl]propionanilide |
| 108 | Tilidine | (±)-ethyl- <i>trans</i> -2-(dimethylamino)-1-phenyl-3-cyclohexene-1-carboxylate |
| 109 | Trimeperidine | 1,2,5-trimethyl-4-phenyl-4-propionoxypiperidine |


*AND the isomers, unless specifically excepted, of the drugs in this Schedule whenever the existence of such isomers is possible within the specific chemical

 23.9.2013

الجدول الثاني (المواد المخدرة)

| No. | Narcotic drugs | Description/Chemical name |
|-----|----------------------|---|
| 1 | Acetyldihydrocodeine | |
| 2 | Codeine | 3-methylmorphine |
| 3 | Dextropropoxyphene | α -(+)-4-dimethylamino-1,2-diphenyl-3-methyl-2-butanol propionate |
| 4 | Dihydrocodeine | |
| 5 | Ethylmorphine | 3-ethylmorphine |
| 6 | Nicocodine | 6-nicotinylcodeine |
| 7 | Nicodicodine | 6-nicotinylidihydrocodeine |
| 8 | Norcodeine | N-demethylcodeine |
| 9 | Pholcodine | Morpholinylethylmorphine |
| 10 | Propiram | N-(1-methyl-2-piperidinoethyl)-N-2-pyridylpropionamide |
| 11 | Butorphanol | 17-cyclobutylmethyl-morphinan-3,14-diol |
| 12 | Tramadol | (+)(trans-2-dimethylaminomethyl-1-(3-methoxyphenyl)cyclohexanol hydrochloride |
| 13 | Nalbuphine | (-)-17-(cyclobutylmethyl)-4,5 α -epoxymorphinan-3,6 α ,14-triol hydrochloride |
| 14 | Nalaxon | (1S,5R,13R,17S)-10,17-dihydroxy-4-(prop-2-en-1-yl)-12-oxa-4-azapentacyclo [9.6.1.0 ^{1,13} .0 ^{5,17} .0 ^{7,18}] octadeca-7(18),8,10-trien-14-one |
| 15 | Naltrexone | 17-(cyclopropylmethyl)-4,5 α -epoxy-3,14-dihydroxymorphinan-6-one |

AND the isomers, unless specifically excepted, of the drugs in this Schedule whenever the existence of such isomers is possible within the specific chemical designation; the salts of the drugs listed in this Schedule, including the salts of the isomers as provided above whenever the existence of such salts is possible.

 23.9.2013

الجدول الثالث (المواد المخدرة)

| No. | Narcotic drugs | Description |
|--|---|--|
| 1 | Preparations of Acetyldihydrocodeine, Codeine, Dihydrocodeine, Ethylmorphine, Nicocodine, Nicodicodine, Norcodeine and Pholcodine | when compounded with one or more other ingredients and containing not more than 100 milligrams of the drug per dosage unit and with a concentration of not more than 2.5 per cent in undivided preparations. |
| 2 | Preparations of Propiram | containing not more than 100 milligrams of propiram per dosage unit and compounded with at least the same amount of methylcellulose. |
| 3 | Preparations of dextropropoxyphene | for oral use containing not more than 135 milligrams of dextropropoxyphene base per dosage unit or with a concentration of not more than 2.5 per cent in undivided preparations, provided that such preparations do not contain any substance controlled under the 1971 Convention on Psychotropic Substances. |
| 4 | Preparations of Cocaine, Opium or morphine | containing not more than 0.1 per cent of cocaine calculated as cocaine base; and containing not more than 0.2 per cent of morphine calculated as anhydrous morphine base and compounded with one or more other ingredients and in such a way that the drug cannot be recovered by readily applicable means or in a yield which would constitute a risk to public health. |
| 5 | Preparations of Difenoxin | containing not more than 0.5 milligram of difenoxin and a quantity of atropine sulfate per dosage unit equivalent to at least 5 per cent of the dose of difenoxin. |
| 6 | Preparations of Diphenoxylate | containing not more than 2.5 milligrams of diphenoxylate per dosage unit calculated as base and a quantity of atropine sulfate per dosage unit equivalent to at least 1 per cent of the dose of diphenoxylate. |
| 7 | Preparations of Pulvis ipecacuanhae et opii compositus | 10 per cent opium in powder 10 per cent ipecacuanha root, in powder well mixed with 80 per cent of any other powdered ingredient containing no drug. |
| 8 | Preparations of Tramadol | containing not more than 100 milligram of tramadol per dosage unit |
| Preparations conforming to any of the formulas listed in this Schedule and mixtures of such preparations with any material which contains no drug. | | |

Handwritten signature and date: 23.9.2013

الجدول الرابع / القسم الأول (المواد المخدرة)

| No. | Narcotic drugs | Description/Chemical name |
|-----|-------------------------------|---|
| 1 | Acetorphine | 3- <i>O</i> -acetyl-tetrahydro-7 α -(1-hydroxy-1-methylbutyl)-6,14- <i>endo</i> -ethenooripavine |
| 2 | Acetyl-alpha-methylfentanyl | <i>N</i> -[1-(α -methylphenethyl)-4-piperidyl]acetanilide |
| 3 | Alpha-methylfentanyl | <i>N</i> -[1-(α -methylphenethyl)-4-piperidyl]propionanilide |
| 4 | Alpha-methylthiofentanyl | <i>N</i> -[1-[1-methyl-2-(2-thienyl)ethyl]-4-piperidyl]propionanilide |
| 5 | Beta-hydroxy-3-methylfentanyl | <i>N</i> -[1-(β -hydroxyphenethyl)-3-methyl-4-piperidyl]propionanilide |
| 6 | Beta-hydroxyfentanyl | <i>N</i> -[1-(β -hydroxyphenethyl)-4-piperidyl]propionanilide |
| 7 | Cannabis and cannabis resin | |
| 8 | Desomorphine | Dihydrodeoxymorphine |
| 9 | Etorphine | tetrahydro-7 α -(1-hydroxy-1-methylbutyl)-6,14- <i>endo</i> -ethenooripavine |
| 10 | Heroin | Diacetylmorphine |
| 11 | Ketobemidone | 4- <i>m</i> -hydroxyphenyl-1-methyl-4-propionylpiperidine |
| 12 | 3-methylfentanyl | <i>N</i> -(3-methyl-1-phenethyl-4-piperidyl)propionanilide |
| 13 | 3-methylthiofentanyl | <i>N</i> -[3-methyl-1-[2-(2-thienyl)ethyl]-4-piperidyl]propionanilide |
| 14 | MPPP | 1-methyl-4-phenyl-4-piperidinol propionate (ester) |
| 15 | Para-fluorofentanyl | 4'-fluoro- <i>N</i> -(1-phenethyl-4-piperidyl)propionanilide |
| 16 | PEPAP | 1-phenethyl-4-phenyl-4-piperidinol acetate (ester) |
| 17 | Thiofentanyl | <i>N</i> -[1-[2-(thienyl)ethyl]-4-piperidyl]propionanilide |

AND the salts of the drugs listed in this Schedule whenever the formation of such salts is possible.

Handwritten signature and date:
23.9.2013

الجدول الرابع / القسم الثاني (النباتات والبذور المحظورة)

Active ingredient

| No. | Plant Name | Active ingredient |
|-----|-----------------------------------|----------------------------------|
| 1 | Cannabis Sativa: Cannabis Sativa | Tetrahydrocannabinol |
| 2 | Papaver Somniferum | Morphine, codeine, & thebaine |
| 3 | Erythroxyllum coca | Cocaine |
| 4 | Erythroxyllum truxillese | Cocaine |
| 5 | Catha edulis, KHAT | Cathinone & cathine |
| 6 | Ephedra sinica | Ephedrine |
| 7 | Iphopora williamisi | Mescaline |
| 8 | Morning glory: Ipomoea violacea | Lethergamide |
| 9 | Ergot: Claviceps Purpurea | Lysergic acid diethylamide (LSD) |
| 10 | Psilocybe mesicana, Conocybe | Psilocybine & Psilocine |
| 11 | Amanita muscaria, Inocybe napipes | Muscarine |
| 12 | Piptadina pergrina: D.M.T | Dimethyltryptamine (DMT) |
| 13 | Pansteria caapi | Panstrine |
| 14 | Argyria nervosa | Ibogaine |
| 15 | Lactuca virosa | Lactucarium |
| 16 | Tabernanthe Aboga | Ibogaine |
| 17 | Banisteriopsis Caabi | Harmine |

Handwritten signature and date: 2013

الجدول الخامس (المؤثرات العقلية)

| # | International non-proprietary name | proprietary or trivial names | Chemical name |
|----|--|------------------------------|--|
| 1 | Brolamfetamine | DOB | (±)-4-bromo-2,5-dimethoxy-α-methylphenethylamine |
| 2 | Cathinone | | (-)-(S)-2-aminopropiophenone |
| 3 | Diethyltryptamine | DET | 3-[2-(diethylamino)ethyl]indole |
| 4 | Dimethoxyamphetamine | DMA | (±)-2,5-dimethoxy-α-methylphenethylamine |
| 5 | Dimethylheptylpyran | DMHP | 3-(1,2-dimethylheptyl)-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran-1-ol |
| 6 | Dimethyltryptamine | DMT | 3-[2-(dimethylamino)ethyl]indole |
| 7 | 2,5-Dimethoxy-4-ethylamphetamine | DOET | (±)-4-ethyl-2,5-dimethoxy-α-methylphenethylamine |
| 8 | Eticyclidine | PCE | N-ethyl-1-phenylcyclohexylamine |
| 9 | Etryptamine | | 3-(2-aminobutyl)indole |
| 10 | MDOH (N-hydroxy-tenamphetamine) | N-hydroxy MDA | (±)-N[α-methyl-3,4-(methylenedioxy)phenethyl]hydroxylamine |
| 11 | (+)-Lysergide | LSD, LSD-25 | 9,10-didehydro-N,N-diethyl-6-methylergoline-8β-carboxamide |
| 12 | MDEA (3,4-methylenedioxy-N-ethylamphetamine) | MDE, N-ethyl MDA | (±)-N-ethyl-α-methyl-3,4-(methylenedioxy)phenethylamine |
| 13 | Methylenedioxyamphetamine | MDMA | (±)-N,α-dimethyl-3,4-(methylenedioxy)phenethylamine |
| 14 | Mescaline | mescaline | 3,4,5-trimethoxyphenethylamine |
| 15 | Methcathinone | methcathinone | 2-(methylamino)-1-phenylpropan-1-one |
| 16 | 4-Methyl-aminorex | 4-methylaminorex | (±)-cis-2-amino-4-methyl-5-phenyl-2-oxazoline |
| 17 | 5-Methoxy-3,4-methylenedioxyamphetamine | MMDA | 5-methoxy-α-methyl-3,4-(methylenedioxy)phenethylamine |
| 18 | 4-Methylthioamphetamine | 4-MTA | α-methyl-4-methylthiophenethylamine |
| 19 | Parahexyl | parahexyl | 3-hexyl-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran |
| 20 | 4-Methoxyamphetamine | PMA | p-methoxy-α-methylphenethylamine |
| 21 | Psilocine | psilocine, psilotsin | 3-[2-(dimethylamino)ethyl]indol-4-ol |

23.9.2013

| # | International non-proprietary name | proprietary or trivial names | Chemical name |
|----|------------------------------------|---|--|
| 22 | Psilocybine | | 3-[2-(dimethylamino)ethyl]indol-4-yl dihydrogen phosphate |
| 23 | Rolicyclidine | PHP, PCPY | 1-(1-phenylcyclohexyl)pyrrolidine |
| 24 | 2,5-Dimethoxy-4-methylamphetamine | STP, DOM | 2,5-dimethoxy- α ,4-dimethylphenethylamine |
| 25 | Tenamfetamine | MDA | α -methyl-3,4-(methylenedioxy)phenethylamine |
| 26 | Tenocyclidine | TCP | 1-[1-(2-thienyl)cyclohexyl]piperidine |
| 27 | Tetrahydrocannabinol : Isomers: | 7,8,9,10-tetrahydro-6,6,9-trimethyl-3-pentyl-6H - dibenzo [<i>b,d</i>]pyran-1-ol (9 <i>R</i> ,10 <i>aR</i>) - 8,9,10,10 <i>a</i> -tetrahydro-6,6,9-trimethyl-3-pentyl-6 <i>H</i> - dibenzo [<i>b,d</i>]pyran-1-ol (6 <i>aR</i> ,9 <i>R</i> ,10 <i>aR</i>) - | |
| 28 | Trimethoxyamphetamine | TMA | (\pm)-3,4,5-trimethoxy- α -methylphenethylamine |

The stereoisomers of substances in this schedule are also controlled, unless specifically excepted, whenever the existence of such stereoisomers is

Handwritten signature and date: 29.7.2013

الجدول السادس (المؤثرات العقلية)

| # | International non-proprietary name | Other non-proprietary or trivial names | Chemical name |
|----|------------------------------------|---|---|
| 1 | Amfetamine | amphetamine | (±)-α-methylphenethylamine |
| 2 | Amineptine | | 7-[(10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5-yl)amino]heptanoic acid |
| 3 | Phenethylamine | 2 C-B | 4-bromo-2,5-dimethoxyphenethylamine |
| 4 | Dexamfetamine | dexamphetamine | (+)-α-methylphenethylamine |
| 5 | Dronabinol* | delta-9-tetrahydro-cannabinol and its stereochemical variants | (6aR,10aR)-6a,7,8,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol |
| 6 | Fenetylline | | 7-[2-(α-methylphenethyl) amino] ethyl] theophylline |
| 7 | Levamphetamine | levamphetamine | (-)-(R)-α-methylphenethylamine |
| 8 | levomethamphetamine | levomethamphetamine | (-)-N,α-dimethylphenethylamine |
| 9 | Mecloqualone | | 3-(o-chlorophenyl)-2-methyl-4(3H)-quinazolinone |
| 10 | Metameftamine | methamphetamine | (+)-(S)-N,α-dimethylphenethylamine |
| 11 | Metameftamine | methamphetamine racemate | (±)-N,α-dimethylphenethylamine |
| 12 | Methaqualone | | 2-methyl-3-o-tolyl-4(3H)-quinazolinone |
| 13 | Methylphenidate | | methyl α-phenyl-2-piperidine acetate |
| 14 | Phencyclidine | PCP | 1-(1-phenylcyclohexyl)piperidine |
| 15 | Phenmetrazine | | 3-methyl-2-phenylmorpholine |
| 16 | Secobarbital | | 5-allyl-5-(1-methylbutyl)barbituric acid |
| 17 | Zipeprol | | α-(α-methoxybenzyl)-4-(β-methoxyphenethyl)-1-piperazineethanol |

* This international non-proprietary name refers to only one of the stereochemical variants of delta-9-tetrahydrocannabinol, namely (-)-trans-delta-9-tetrahydrocannabinol.

Handwritten signature and date: 22.9.2013

الجدول السابع (المؤثرات العقلية)

| # | International non-proprietary name | Other non-proprietary or trivial names | Chemical name |
|----|------------------------------------|--|---|
| 1 | Amobarbital | | 5-ethyl-5-isopentylbarbituric acid |
| 2 | Buprenorphine | | 2l-cyclopropyl-7- α -[(S)-1-hydroxy-1,2,2-trimethylpropyl]-6,14-endo-ethano-6,7,8,14-tetrahydrooripavine |
| 3 | Butalbital | | 5-allyl-5-isobutylbarbituric acid |
| 4 | Cathine | (+)norpseudoephedrine | (+)-(S)- α -[(S)-1-aminoethyl]benzyl alcohol |
| 5 | Cyclobarbitol | | 5-(1-cyclohexen-1-yl)-5-ethylbarbituric acid |
| 6 | Flunitrazepam | | 5-(o-fluorophenyl)-1,3-dihydro-1-methyl-7-nitro-2H-1,4-benzodiazepin |
| 7 | Glutethimide | | 2-ethyl-2-phenylglutarimide |
| 8 | Pentazocine | | (2R*,6R*,11R*)-1,2,3,4,5,6-hexahydro-6,11-dimethyl-3-(3-methyl-2-butenyl)-2,6-methano-3-benzazocin-8-ol |
| 9 | Pentobarbital | | 5-ethyl-5-(1-methylbutyl)barbituric acid |
| 10 | Benzhexol (Trihexyphenidyl) | | (RS)-1-cyclohexyl-1-phenyl-3-(1-piperidyl)propan-1-ol |
| 11 | Chlorpromazine | | 3-(2-chloro-10H-phenothiazin-10-yl)-N,N-dimethylpropan-1-amine |
| 12 | procyclidine | | 1-cyclohexyl-1-phenyl-3-pyrrolidin-1-ylpropan-1-ol hydrochloride |
| 13 | Modafinil | | (\pm)-2-(benzhydrylsulfinyl)acetamide |
| 14 | Ketamine | | (RS)-2-(2-Chlorophenyl)-2-(methylamino)cyclohexanone |
| 15 | Thiopental | | (RS)-[5-ethyl-4,6-dioxo-5-(pentan-2-yl)-1,4,5,6-tetrahydropyrimidin-2-yl]sulfanide sodium |
| 16 | Propofol | | 2,6-diisopropylphenol |

أحمد
3.9.2014

الجدول الثامن (المؤثرات العقلية)

| # | International non-proprietary name | Other non-proprietary or trivial names | Chemical name |
|----|------------------------------------|--|--|
| 1 | Allobarbital | | 5,5-diallylbarbituric acid |
| 2 | Alprazolam | | 8-chloro-1-methyl-6-phenyl-4H-s-triazolo[4,3-a][1,4]benzodiazepine |
| 3 | Amfepramone | diethylpropion | 2-(diethylamino)propiphenone |
| 4 | Aminorex | | 2-amino-5-phenyl-2-oxazoline |
| 5 | Barbital | | 5,5-diethylbarbituric acid |
| 6 | Benzfetamine | benzphetamine | N-benzyl-N,α-dimethylphenethylamine |
| 7 | Bromazepam | | 7-bromo-1,3-dihydro-5-(2-pyridyl)-2H-1,4-benzodiazepine |
| 8 | Brotizolam | | 2-bromo-4-(o-chlorophenyl)-9-methyl-6H-thieno[3,2-f]-s-triazolo[4,3-a][1,4]diazepine |
| 9 | Butobarbital | butobarbital | 5-butyl-5-ethylbarbituric acid |
| 10 | Camazepam | | 7-chloro-1,3-dihydro-3-hydroxy-1-methyl-5-phenyl-2H-1,4-benzodiazepine-2-one dimethylcarbamate (ester) |
| 11 | Chlordiazepoxide | | 7-chloro-2-(methylamino)-5-phenyl-3H-1,4-benzodiazepine-4-oxide |
| 12 | Clobazam | | 7-chloro-1-methyl-5-phenyl-1H-1,5-benzodiazepine-2,4(3H,5H)-dione |
| 13 | Clonazepam | | 5-(o-chlorophenyl)-1,3-dihydro-7-nitro-2H-1,4-benzodiazepin |
| 14 | Clorazepate | | 7-chloro-2,3-dihydro-2-oxo-5-phenyl-1H-1,4-benzodiazepine-3-carboxylic acid |
| 15 | Clotiazepam | | 5-(o-chlorophenyl)-7-ethyl-1,3-dihydro-1-methyl-2H-thieno[2,3-e]-1,4-diazepin-2-one |
| 16 | Cloxazolam | | 10-chloro-11b-(o-chlorophenyl)-2,3,7,11b-tetrahydro-oxazolo-[3,2-d][1,4]benzodiazepin-6(5H)-one |
| 17 | Delorazepam | | 7-chloro-5-(o-chlorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one |
| 18 | Diazepam | | 7-chloro-1,3-dihydro-1-methyl-5-phenyl-2H-1,4-benzodiazepin-2-one |
| 19 | Estazolam | | 8-chloro-6-phenyl-4H-s-triazolo[4,3-a][1,4]benzodiazepine |

Handwritten signature and date:
23.9.2015

الجدول الثامن (المؤثرات العقلية)

| # | International non-proprietary name | Other non-proprietary or trivial names | Chemical name |
|----|------------------------------------|--|--|
| 20 | Ethchlorvynol | | 1-chloro-3-ethyl-1-penten-4-yn-3-ol |
| 21 | Ethinamate | | 1-ethynylcyclohexanolcarbamate |
| 22 | Ethyl Loflazepate | | ethyl 7-chloro-5-(o-fluorophenyl)-2,3-dihydro-2-oxo-1H-1,4-benzodiazepine-3-carboxylate |
| 23 | Etilamfetamine | N-ethylamphetamine | N-ethyl- α -methylphenethylamine |
| 24 | Fencamfamin | | N-ethyl-3-phenyl-2-norbornanamine |
| 25 | Fenproporex | | (\pm)-3-[(α -methylphenylethyl)amino]propionitrile |
| 26 | Fludiazepam | | 7-chloro-5-(o-fluorophenyl)-1,3-dihydro-1-methyl-2H-1,4-benzodiazepin-2-one |
| 27 | Flurazepam | | 7-chloro-1-[2-(diethylamino)ethyl]-5-(o-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one |
| 28 | GHB | GHB | γ -hydroxybutyric acid |
| 29 | Halazepam | | 7-chloro-1,3-dihydro-5-phenyl-1-(2,2,2-trifluoroethyl)-2H-1,4-benzodiazepin-2-one |
| 30 | Haloxazolam | | 10-bromo-11b-(o-fluorophenyl)-2,3,7,11b-tetrahydrooxazololo[3,2-d][1,4]benzodiazepine-6(5H)-one |
| 31 | Ketazolam | | 11-chloro-8,12b-dihydro-2,8-dimethyl-12b-phenyl-4H-[1,3]oxazino[3,2-d][1,4]benzodiazepin-4,7(6H)-dione |
| 32 | Lefetamine | SPA | (-)-N,N-dimethyl-1,2-diphenylethylamine |
| 33 | Loprazolam | | 6-(o-chlorophenyl)-2,4-dihydro-2-[(4-methyl-1-piperazinyl)methylene]-8-nitro-1H-imidazo[1,2-a][1,4]benzodiazepin-1-one |
| 34 | Lorazepam | | 7-chloro-5-(o-chlorophenyl)-1,3-dihydro-3-hydroxy-2H-1,4-benzodiazepin-2-one |
| 35 | Lormetazepam | | 7-chloro-5-(o-chlorophenyl)-1,3-dihydro-3-hydroxy-1-methyl-2H-1,4-benzodiazepine-2-one |
| 36 | Mazindol | | 5-(p-chlorophenyl)-2,5-dihydro-3H-imidazo[2,1-a]isoindol-5-ol |

29.9.2013

الجدول الثامن (المؤثرات العقلية)

| # | International non-proprietary name | Other non-proprietary or trivial names | Chemical name |
|----|------------------------------------|--|---|
| 37 | Medazepam | | 7-chloro-2,3-dihydro-1-methyl-5-phenyl-1H-1,4-benzodiazepine |
| 38 | Mefenorex | | N-(3-chloropropyl)- α -methylphenethylamine |
| 39 | Meprobamate | | 2-methyl-2-propyl-1,3-propanedioldicarbamate |
| 40 | Mesocarb | | 3-(α -methylphenethyl)-N-(phenylcarbamoyl)sydnone imine |
| 41 | Methylphenobarbital | | 5-ethyl-1-methyl-5-phenylbarbituric acid |
| 42 | Methyprylon | | 3,3-diethyl-5-methyl-2,4-piperidine-dione |
| 43 | Midazolam | | 8-chloro-6-(o-fluorophenyl)-1-methyl-4H-imidazo[1,5-a][1,4]benzodiazepine |
| 44 | Nimetazepam | | 1,3-dihydro-1-methyl-7-nitro-5-phenyl-2H-1,4-benzodiazepin-2-one |
| 45 | Nitrazepam | | 1,3-dihydro-7-nitro-5-phenyl-2H-1,4-benzodiazepin-2-one |
| 46 | Nordazepam | | 7-chloro-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepin-2-one |
| 47 | Oxazepam | | 7-chloro-1,3-dihydro-3-hydroxy-5-phenyl-2H-1,4-benzodiazepin-2-one |
| 48 | Oxazolam | | 10-chloro-2,3,7,11b-tetrahydro-2-methyl-11b-phenyloxazolol[3,2-d][1,4]benzodiazepin-6(5H)-one |
| 49 | Pemoline | | 2-amino-5-phenyl-2-oxazolin-4-one |
| 50 | Phendimetrazine | | (+)-(2S,3S)-3,4-dimethyl-2-phenylmorpholine |
| 51 | Phenobarbital | | 5-ethyl-5-phenylbarbituric acid |
| 52 | Pentermine | | α,α -dimethylphenethylamine |
| 53 | Pinazepam | | 7-chloro-1,3-dihydro-5-phenyl-1-(2-propynyl)-2H-1,4-benzodiazepin-2-one |
| 54 | Pipradrol | | 1,1-diphenyl-1-(2-piperidyl)methanol |
| 55 | Prazepam | | 7-chloro-1-(cyclopropylmethyl)-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepin-2-one |

[Signature]
13.9.2013


الجدول الثامن (المؤثرات العقلية)

| # | International non-proprietary name | Other non-proprietary or trivial names | Chemical name |
|----|------------------------------------|--|--|
| 56 | Pyrovalerone | | 4'-methyl-2-(1-pyrrolidinyl)valerophenone |
| 57 | Secobarbital | | 5-sec-butyl-5-ethylbarbituric acid |
| 58 | Temazepam | | 7-chloro-1,3-dihydro-3-hydroxy-1-methyl-5-phenyl-2H-1,4-benzodiazepin-2-one |
| 59 | Tetrazepam | | 7-chloro-5-(1-cyclohexen-1-yl)-1,3-dihydro-1-methyl-2H-1,4-benzodiazepin-2-one |
| 60 | Triazolam | | 8-chloro-6-(o-chlorophenyl)-1-methyl-4H-s-triazolo[4,3-a][1,4]benzodiazepine |
| 61 | Vinylbital | | 5-(1-methylbutyl)-5-vinylbarbituric acid |
| 62 | Zolpidem | | N,N,6-trimethyl-2-p-tolylimidazo[1,2-a]pyridine-3-acetamide |
| 63 | Citalopram | | (RS)-1-[3-(dimethylamino)propyl]-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-5-carbonitrile |
| 64 | Escitalopram | | (S)-1-[3-(Dimethylamino)propyl]-1-(4-fluorophenyl)-1,3-dihydroisobenzofuran-5-carbonitrile |
| 65 | Paroxetine | | (3S,4R)-3-[(2H-1,3-benzodioxol-5-yloxy)methyl]-4-(4-fluorophenyl)piperidine |
| 66 | Fluoxetine | | (RS)-N-methyl-3-phenyl-3-[4-(trifluoromethyl)phenoxy]propan-1-amine |
| 67 | Sertraline | | (1S,4S)-4-(3,4-dichlorophenyl)-N-methyl-1,2,3,4-tetrahydronaphthalen-1-amine |
| 68 | Fluphenazine | | 2-[4-[3-[2-(trifluoromethyl)-10H-phenothiazin-10-yl]propyl]piperazin-1-yl]ethanol |
| 69 | Haloperidol | | 4-[4-(4-Chlorophenyl)-4-hydroxy-1-piperidyl]-1-(4-fluorophenyl)-butan-1-one |
| 70 | Risperidone | | 4-[2-[4-(6-fluorobenzo[d]isoxazol-3-yl)-1-piperidyl]ethyl]-3-methyl-2,6-diazabicyclo[4.4.0]deca-1,3-dien-5-one |
| 71 | Mirtazapine | | (±)-2-methyl-1,2,3,4,10,14b-hexahydropyrazino[2,1-a]pyrido[2,3-c][2]benzazepine |
| 72 | Olanzapine | | 2-methyl-4-(4-methyl-1-piperazinyl)-10H-thieno[2,3-b][1,5]benzodiazepine |

27.9.2013

الجدول الثامن (المؤثرات العقلية)

| # | International non-proprietary name | Other non-proprietary or trivial names | Chemical name |
|----|------------------------------------|--|--|
| 73 | Pimozide | | 1-[1-[4,4-bis(4-fluorophenyl)butyl]-4-piperidinyl]-1,3-dihydro-2H-benzimidazole-2-one |
| 74 | Trifluoperazine | | 10-[3-(4-methylpiperazin-1-yl)propyl]-2-(trifluoromethyl)-10H-phenothiazine |
| 75 | Zopiclone | | (<i>RS</i>)-6-(5-chloropyridin-2-yl)-7-oxo-6,7-dihydro-5H-pyrrolo[3,4-b]pyrazin-5-yl 4-methylpiperazine-1-carboxylate |
| 76 | Cyclobenzaprine | | 3-(5H-dibenzo[a,d]cyclohepten-5-ylidene)- <i>N,N</i> -dimethyl-1-propanamine |
| 77 | Flumazenil | | Ethyl 8-fluoro-5-methyl-6-oxo-5,6-dihydro-4 <i>H</i> -benzo[f]imidazo[1,5- <i>a</i>][1,4]diazepine-3-carboxylate |
| 78 | Misoprostol | | Methyl 7-(((1 <i>R</i> ,2 <i>R</i> ,3 <i>R</i>)-3-hydroxy-2-((<i>S,E</i>)-4-hydroxy-4-methyloct-1-enyl)-5-oxocyclopentyl)heptanoate |


21.9.2013

23.9.2013
Lutfi

| No. | Name of substance |
|-----|---------------------|
| 1 | ACETONE |
| 2 | ANTHRANILIC ACID |
| 3 | ETHYL ETHER |
| 4 | HYDROCHLORIC ACID |
| 5 | METHYL ETHYL KETONE |
| 6 | PHENYLACETIC ACID |
| 7 | PIPERIDINE |
| 8 | SULPHURIC ACID |
| 9 | TOLUENE |

الجدول العاشر (السلائف الكيميائية)

| No. | Name of substance |
|-----|---------------------------------------|
| 1 | ACETIC ANHYDRIDE |
| 2 | N - ACETYLANTHRANILIC ACID |
| 3 | EPHEDRINE |
| 4 | ERGOMETRINE |
| 5 | ERGOTAMINE |
| 6 | ISOSAFROLE |
| 7 | LYSERGIC ACID |
| 8 | 3,4-METHYLENEDIOPHYPHENYL-2-PROPANONE |
| 9 | NOREPHEDRINE |
| 10 | 1-PHENYL-2-PROPANONE |
| 11 | PIPERONAL |
| 12 | POTASSIUM PERMANGANATE |
| 13 | PSEUDOEPHEDRINE |
| 14 | SAFROLE |

الجدول التاسع (السلائف الكيميائية)